Applicant: Toshio Kitamura et al.

Serial No.: 10/092,925 Filed: March 6, 2002

Page : 2 of 6

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- (Previously Presented) An isolated nucleic acid encoding a protein comprising the amino acid sequence of SEQ ID NO:2.
- 2. (Previously Presented) An isolated nucleic acid encoding the amino acid sequence of SEQ ID NO:2 or a fragment thereof, wherein the fragment is at least 40% of the length of the sequence shown as SEQ ID NO:2, and the fragment binds to BMP2/4.
- 3. (Previously Presented) An isolated nucleic acid encoding a protein that (a) comprises the amino acid sequence of SEQ ID NO:2 in which 5 or fewer amino acids are substituted, deleted, and/or inserted, and (b) binds to BMP2/4.
- 4. (Original) The nucleic acid of claim 1, wherein the nucleic acid encodes a fusion protein comprising a first amino acid sequence as shown in SEQ ID NO:2 fused to a second amino acid sequence.
 - 5. (Original) A vector into which the nucleic acid of claim 1 is inserted.
 - 6. (Original) A vector into which the nucleic acid of claim 2 is inserted.
 - 7. (Currently Amended) A <u>cultured</u> transformant harboring the nucleic acid of claim 1.
 - 8. (Currently Amended) A cultured transformant harboring the nucleic acid of claim 2.
 - 9. (Currently Amended) A cultured transformant harboring the vector of claim 5.

Applicant: Toshio Kitamura et al.

Serial No.: 10/092,925 Filed: March 6, 2002

Page : 3 of 6

10. (Currently Amended) A cultured transformant harboring the vector of claim 6.

11-12 (Canceled)

- 13. (Previously Presented) A method for producing a polypeptide, the method comprising the steps of culturing the transformant of claim 9 and recovering the protein from the transformant or from the culture supernatant thereof.
- 14. (Previously Presented) A method for producing a polypeptide, the method comprising the steps of (a) culturing the transformant of claim 10 and (b) recovering the protein from the transformant or from the culture supernatant thereof.

15-27 (Canceled)

- 28. (Previously Presented) A nucleic acid encoding a fusion protein comprising a first amino acid sequence that has the sequence of residues 25-222 of SEQ ID NO:2 fused to a second amino acid sequence.
- 29. (Previously Presented) The nucleic acid of claim 28, wherein the second amino acid sequence comprises any one of the following: glutathione S-transferase, FLAG, six histidine residues, influenza agglutinin (HA), human c-myc fragment, VSV-GP fragment, p18HIV fragment, T7-tag, HSV-tag, E-tag, SV40T antigen fragment, lck tag, α-tubulin fragment, B-tag, Protein C fragment, immunoglobulin constant region, β-galactosidase, Green Fluorescent Protein (GFP), and maltose binding protein.
- 30. (Previously Presented) The nucleic acid of claim 28, wherein the fusion protein comprises an initiator methionine.
- 31. (Previously Presented) The nucleic acid of claim 28, wherein the fusion protein comprises a signal sequence.

Applicant: Toshio Kitamura et al.

ua et 2

Serial No.: 10/092,925 Filed: March 6, 2002

Filed Page

: 4 of 6

32. (Previously Presented) The nucleic acid of claim 28, wherein the fusion protein further comprises residues 1-24 of SEQ ID NO:2.

- 33. (Canceled)
- 34. (Previously Presented) A vector into which the nucleic acid of claim 28 is inserted.
- 35. (Previously Presented) A vector into which the nucleic acid of claim 29 is inserted.
- 36. (Canceled)
- 37. (Currently Amended) A cultured transformant harboring the nucleic acid of claim 28.
- 38. (Canceled)
- 39. (Currently Amended) A cultured transformant harboring the vector of claim 34.
- 40. (Currently Amended) A <u>cultured</u> transformant harboring the vector of claim 35.
- 41. (Canceled)
- 42. (Previously Presented) A method for producing a protein, the method comprising the steps of culturing the transformant of claim 37 and recovering the fusion protein from the transformant or the culture supernatant thereof.
- 43. (Previously Presented) An isolated nucleic acid comprising the coding region of the nucleotide sequence of SEQ ID NO:1.
 - 44-46 (Canceled)
- 47. (Previously Presented) An isolated nucleic acid encoding a protein that (a) has at least 95% identity to the amino acid sequence of SEQ ID NO:2, and (b) binds to BMP2/4.

Applicant: Toshio Kitamura et al.

Serial No.: 10/092,925 Filed

: March 6, 2002

Page

: 5 of 6

- 48. (Previously Presented) The nucleic acid of claim 47, wherein the protein has at least 98% identity to the amino acid sequence of SEQ ID NO:2.
- 49. (Previously Presented) The nucleic acid of claim claim 47, wherein the protein has at least 99% identity to the amino acid sequence of SEQ ID NO:2.
- 50. (Previously Presented) An isolated nucleic acid that encodes a protein comprising residues 25-222 of SEQ ID NO:2.
 - 51. (Canceled)
- 52. (Previously Presented) The nucleic acid of claim 50, wherein the protein consists of residues 25-222 of SEQ ID NO:2 with an initiator methionine or a signal peptide.
- 53. (Previously Presented) The nucleic acid of claim 50, wherein the protein consists of the amino acid sequence of SEQ ID NO:2.